

Pumps


Pompe

**COPRINOX**


COPRINOX SPA, Via delle Industrie 2, 26862 Guardamiglio (LO), ITALY

Tel +39 0377 51209 Fax +39 0377 451114 email: [info@coprinox.com](mailto:info@coprinox.com) web: [www.coprinox.com](http://www.coprinox.com)


①



②



③



④ OTHER TYPE

SHAFT SEAL	
A	Stuffing box
B	Single Mechanical
C	Magnetic Drive Canned Pump Without Seal

**COPRINOX**

## PUMPS

- CENTRIFUGAL PUMPS -

CODE	MANUFACTURER AND PUMP TYPE	DELIVERY CAPACITY M3/h	HEAD mt.	SHAPE	MATERIALS		NOZZLE DIMENSIONS		DRIVE		RPM	NOTE	
					CASE	IMPELLER	IN	OUT	KW	RPM			
PPC 010 0186	TRAVAINI	10	44	1 A	C. Steel	C. Steel	2" 1/2	1" 1/2	5,5	2900	2900	NEW	D3
PPC 010 0496	KSB	10	80	1 A	C. Steel	Cast Iron	2"	1" 1/4	11	2900	2900	NEW	D4
PPC 048 0493	ROBUSCHI	48	30	1 A	C. Steel	C. Steel	3"	2"	10	2900	2900	NEW	D4
PPC 075 0521	RHEINHUTTE RCE 80/260	75	45	1 A	GX 90	Si Cr 15,5	3"	3"	30	2950	2950	NEW	D4
PPC 0354	HILGE			1 B	AISI 304	AISI 304	1" 1/2	1" 1/4	3	2900	2900	NEW	D3
PPC 001 0386	RHEINHUTTE RCN32/160C	0,7	35	1 B	C.Steel	AISI 316	2"	1" 1/4	2,9	2900	2900	NEW	D3
PPC 001 0466	RHEINHUTTE RCKU	1	30	1 B	Polyprop.	Polyprop.	1"	1"	3	2900	2900	NEW	D3
PPC 001 0467	RHEINHUTTE RCKU	1	24	1 B	Polyprop.	Polyprop.	1"	1"	3	2900	2900	NEW	D4
PPC 003 0369	IDROMECC CBS 32/16	3,3	35	1 B	C.Steel	AISI 316	2"	1" 1/4	2,9	2900	2900	NEW	D3
PPC 003 0370	IDROMECC CBS 32/16	3,3	35	1 B	C.Steel	AISI 316	2"	1" 1/4	2,9	2900	2900	NEW	D3
PPC 006 0374	RHEINHUTTE 32/200/C	3,3	40	1 B	C.Steel	C.Steel	2"	1" 1/4	4	2900	2900	NEW	D3
PPC 003 0375	RHEINHUTTE	3,3	40	1 B	C.Steel	C.Steel	1" 1/4	1" 1/4	4	2900	2900	NEW	D3
PPC 004 0334	IDROMECC CBS 32/20	4	40	1 B	C.Steel	AISI 316	2"	1" 1/4	2,9	2900	2900	NEW	D3
PPC 004 0335	IDROMECC CBS 32/20	4	40	1 B	C.Steel	AISI 316	2"	1" 1/4	2,9	2900	2900	NEW	D3
PPC 005 0341	TRAVAINI, MCV32.200	5	60	1 B	C.Steel	Cast Iron	2"	1" 1/4	7,5	2900	2900	NEW	D3
PPC 005 0342	TRAVAINI, MCV32.200	5	60	1 B	C.Steel	Cast Iron	2"	1" 1/4	7,5	2900	2900	NEW	D3
PPC 005 0410	TRAVAINI	5	60	1 B	C. Steel	Cast Iron	2"	1"	5,5	2900	2900	NEW	D4
PPC 005 0411	TRAVAINI	5	60	1 B	C. Steel	Cast Iron	2"	1"	5,5	2900	2900	NEW	D4
PPC 005 0414	TRAVAINI	5	60	1 B	C. Steel	Cast Iron	2"	1"	5,5	2900	2900	NEW	D4
PPC 005 0415	TRAVAINI	5	60	1 B	C. Steel	C. Steel	2"	1"	5,5	2900	2900	NEW	D4
PPC 006 0316	RHEINHUTTE, RNSI	6	25	1 B	H.Silicon	Cast Iron	2"	1" 1/4	3	2900	2900	NEW	D3
PPC 006 0317	RHEINHUTTE, RNSI	6	25	1 B	H.Silicon	Cast Iron	2"	1" 1/4	3	2900	2900	NEW	D3
PPC 001 0387	RHEINHUTTE RCN32/160C	6	35	1 B	C.Steel	AISI 316	2"	1" 1/4	2,9	2900	2900	NEW	D3
PPC 006 0367	IDROMECC CBS 32/16	6,1	35	1 B	C.Steel	AISI 316	2"	1" 1/4	2,9	2900	2900	NEW	D3
PPC 008 0362	IDROMECC CBS 32/26	8	70	1 B	C.Steel	AISI 316	2"	1" 1/4	7,3	2900	2900	NEW	D3
PPC 008 0441	IDROMECCANICA	8	90	1 B	C. Steel	AISI 316	2"	1" 1/4	25	2935	2935	NEW	D4
PPC 008 0442	IDROMECCANICA	8	90	1 B	C. Steel	AISI 316	2"	1" 1/4	25	2935	2935	NEW	D4
PPC 009 0366	IDROMECC CBS 32/20	8,8	40	1 B	C.Steel	AISI 316	2"	1" 1/4	5,5	2900	2900	NEW	D3
PPC 010 0363	IDROMECC CBS 32/20	9,9	40	1 B	C.Steel	AISI 316	2"	1" 1/4	4	2900	2900	NEW	D3
PPC 010 0389	IDROMECC CBS 32/26	9,9	60	1 B	C.Steel	AISI 316	4"	3"	9,2	2900	2900	NEW	D3
PPC 010 0428	TRAVAINI	10	20	1 B	C. Steel	Cast Iron	2"	1"	2	2900	2900	NEW	D4
PPC 015 0406	TRAVAINI - MCU CH 40	15	65	1 B	C. Steel	Cast Iron	2" 1/2	1" 1/2	25	2900	2900	NEW	D4
PPC 015 0456	IDROMECCANICA	15	75	1 B	C. Steel	AISI 316	2"	1" 1/4	15	2930	2930	NEW	B6
PPC 015 0501	IDROMECCANICA	15	32	1 B	C. Steel	Cast Iron	2"	1" 1/4	5,5	2905	2905	NEW	B6
PPC 044 0486	IDROMECCANICA	44,3	23,1	1 B	C. Steel	AISI 316	3"	2"	7,5	2905	2905	NEW	B6
PPC 050 0424	TRAVAINI	50	70	1 B	C. Steel	Cast Iron	3"	2"	30	2900	2900	NEW	D4
PPC 050 0425	TRAVAINI	50	70	1 B	C. Steel	Cast Iron	3"	2"	30	2900	2900	NEW	D4
PPC 270 0350	RHEINHUTTE, RCN	270	30	1 B	Incoloy	Incoloy	6"	4"	50	1470	1470	NEW	D3
PPC 015 0407	TRAVAINI - MCU CH 40	15	65	1 B	C. Steel	Cast Iron	2" 1/2	1" 1/2	25	2900	2900	NEW	B6
PPC 006 0378	Multistage NOVAMETIC N25.2	0,4	43,5	2 C	C.Steel	AISI 316	2"	1"	2,4	2700	2700	NEW	D3
PPC 005 0376	Multistage NOVAMETIC N25.2	0,9	29	2 C	C.Steel	AISI 316	2"	1"	1,3	2700	2700	NEW	D3
PPC 005 0377	Multistage NOVAMETIC N25.2	0,9	29	2 C	C.Steel	AISI 316	2"	1"	1,3	2700	2700	NEW	D3
PPV 003 0353	KSB CML-SFX 25-13/2	3,8	20	2 C	C. Steel	C. Steel	2" 1/2	1" 1/2	4	2900	2900	NEW	D3
PCV 720 0476	KSB	720	60	2 C	C.Steel	12% Cr	16"	10"	200	2940	2940	NEW	D4
PCV 720 0477	KSB	720	45	2 C	C.Steel	12% Cr	16"	10"	200	2940	2940	NEW	D4


⑤



⑥



⑦



⑧



⑨

OTHER TYPE


**COPRINOX****PUMPS**  
- VOLUMETRICAL -

SHAFT SEAL


<b>A</b>	Stuffing box
<b>B</b>	Mechanical Seal
<b>C</b>	Other Seals Type

CODE	MANUFACTURER AND PUMP TYPE	DELIVERY CAPACITY M <sup>3</sup> /h	HEAD mt.	SHAPE	MATERIALS		NOZZLE DIMENSIONS		DRIVE		RPM	NOTE	
					CASE	IMPELLER	IN	OUT	KW	RPM			
PPG 006 0189	MAAG NNP 56/45	6	120	5	C. Steel	C. Steel	1" 1/2	1"	5,5	900		NEW/ Varidrive	A6
PPG 006 0190	MAAG NNP 56/45	6	120	5	C. Steel	C. Steel	1" 1/2	1"	5,5	900		NEW/ Varidrive	A6
PPG 020 0445	MAAG	20	25	5	Cast Iron	Nitrided	2" 1/2	2" 1/2	4	960		NEW	B6
PPG 060 0434	GNOCCHI	60	35	5	C. Steel	Cast Iron	6"	6"	11			NEW/ P.060.0435/36/37/38/39	D4
PPG 060 0435	GNOCCHI	60	35	5	C. Steel	Cast Iron	6"	6"	11			NEW/ P.060.0434/36/37/38/39	D4
PPG 060 0436	GNOCCHI	60	35	5	C. Steel	Cast Iron	6"	6"	11			NEW/ P.060.0434/35/37/38/39	D4
PPG 060 0437	GNOCCHI	60	35	5	C. Steel	Cast Iron	6"	6"	11			NEW/ P.060.0434/35/36/38/39	B6
PPG 060 0438	GNOCCHI	60	35	5	C. Steel	Cast Iron	6"	6"	11			NEW/ P.060.0434/35/36/37/39	D4
PPG 060 0439	GNOCCHI	60	35	5	C. Steel	Cast Iron	6"	6"	11			NEW/ P.060.0434/35/36/37/38	D4
PPC 300 0384	Houttuin Lobate 2D210	300	120	5A	AISI 304	AISI 304	10"	10"	220	1450		NEW / Without el.motor	D3
PPC 300 0385	Houttuin Lobate 2D210	300	120	5A	AISI 304	AISI 304	10"	10"	220	1450		NEW / Without el.motor	D3
PPG 012 0191	SLACK & PARR SP 515 S3	1,2 / 7,2	20	5C	Allum.	AISI 304	6"	5"	15		10/60	NEW/ Without el. motor	D3
PPG 012 0192	SLACK & PARR SP 515 S3	1,2 / 7,2	20	5C	Allum.	AISI 304	6"	5"	15		10/60	NEW/ Without el. motor	A6
PPG 012 0193	SLACK & PARR SP 515 S3	1,2 / 7,2	20	5C	Allum.	AISI 304	6"	5"	15		10/60	NEW/ Without el. motor	A6
PPG 012 0194	SLACK & PARR SP 515 S3	1,2 / 7,2	20	5C	Allum.	AISI 304	6"	5"	15		10/60	NEW/ Without el. motor	A6
PPG 012 0195	SLACK & PARR SP 515 S3	1,2 / 7,2	20	5C	Allum.	AISI 304	6"	5"	15		10/60	NEW/ Without el. motor	A6
PPG 012 0196	SLACK & PARR SP 515 S3	1,2 / 7,2	20	5C	Allum.	AISI 304	6"	5"	15		10/60	NEW/ Without el. motor	A6
PPG 012 0197	SLACK & PARR SP 515 S3	1,2 / 7,2	20	5C	Allum.	AISI 304	6"	5"	15		10/60	NEW/ Without el. motor	A6
PPG 012 0198	SLACK & PARR SP 515 S3	1,2 / 7,2	20	5C	Allum.	AISI 304	6"	5"	15		10/60	NEW/ Without el. motor	A6
PPG 012 0199	SLACK & PARR SP 515 S3	1,2 / 7,2	20	5C	Allum.	AISI 304	6"	5"	15		10/60	NEW/ Without el. motor	A6
PPG 012 0202	SLACK & PARR SP 515 S3	1,2 / 7,2	20	5C	Allum.	AISI 304	6"	5"	15		10/60	NEW/ Without el. motor	A6
PPG 001 0200	SLACK & PARR SPL 12	50 l/h	200	5C	AISI 304	AISI 304	3/8"	3/8"	15		15/90	NEW/ Without el. motor	A6
PPG 001 0201	SLACK & PARR SPL 12	50 l/h	200	5C	AISI 304	AISI 304	3/8"	3/8"	15		15/90	NEW/ Without el. motor	A6
PPG 050 0349	MAAG, NNP 110/140	50	55	5C	C. Steel	C. Steel	4"	4"	30	980		NEW	D3
PPG 050 0440	MAAG, NNP 110/140	50	55	5C	C. Steel	C. Steel	4"	4"	30	980		NEW	D4
PPP 001 0512	DP MM 25-64-120-02	0,57	90	7	AISI 316	AISI 316	1"	1"	1			NEW	D4
PPP 004 0562	GALLARATESI Tipo 33M	4,77		7	AISI 316	AISI 316	2"	2"	15			NEW	D3
PPP 003 0146	WORTHINGTON KCF	3,250	1500	7 C	AISI 316	AISI 316			37	1450		RECONDITIONED	G1
PPP 001 0582	FELUWA SM 350 ZW	8	10	7A	Ebanitata	Ebanitata	2" 1/2	2" 1/2	1,5	1000		NEW	B6
PPP 0076	LEWA HL1			7C	AISI 304		1/2"	1/2"				A membrana	D4
PPP 006 0046	LEWA EKH1	0,006	400	7C	AISI 304L		1/2"	1/2"	0,5			A membrana	D4
PPP 008 0048	LEWA EK1	0,008	400	7C	AISI 304L		1/2"	1/2"	0,2			A membrana	D4
PPP 013 0068	LEWA H1	0,013	400	7C	AISI 304	AISI 304	3/8"	3/8"	0,75			A membrana	D4
PPP 028 0047	LEWA EKH1	0,028	400	7C	AISI 304L		1/2"	1/2"	0,1			A membrana	D4
PPP 097 0045	LEWA EKH1	0,097	400	7C	AISI 304L		1/2"	1/2"	0,2			A membrana	D4


10



11



12



13 OTHER TYPE




SHAFT SEAL	
<b>A</b>	Stuffing box
<b>B</b>	Mechanical Seal
<b>C</b>	Other Seals Type

# COPRINOX

## PUMPS

- VACUUM PUMPS -

CODE	MANUFACTURER AND PUMP TYPE	DELIVERY CAPACITY N M3/h	mm. Hg	SHAPE	NOZZLE DIMENS.	MATER. BODY	WATER CONSUM I/1'	WEIGHT Kg	DRIVE			NOTE	
									KW	RPM	RPM		
PPV 070 0646	FBM P 308/C	70	600	10 A	1"1/2	AISI316	5	48	5,5	1450	1450	Used	B6
PPV 070 0647	FBM P 308/C	70	600	10 A	1"1/2	AISI316	5	48	5,5	1450	1450	Used	B6
PPV 136 0399	ROBUSCHI TIPO RPB 40	1360	600	10 A	4"	C. Steel			55	980	980	Used	D3
PPV 108 0571	ATURIA BLN 185/80	54	735	10 B	1"1/2	AISI	12	62	5,5	1450	1450	Used PPV.108.0572	B6
PPV 0557	ROOTS			11	3"	C. Steel		50	NOT		2500	USED	D4
PPV 999 0021	AERZEN Type GM 16,12 WE	2490		11	14"	C.Steel			NOT	910	910	USED	G1



17 OTHER TYPE

**COPRINOX**

**PUMPS**  
- IMMERSED PUMPS -

CODE	MANUFACTURER AND PUMPTYPE	DELIVERY CAPACITY M3/h	HEAD mt.	SHAPE	MATERIALS		NOZZLE DIMENSIONS	DRIVE		L mm.	NOTE	
					CASE	IMPELLER		OUT	KW			RPM
PPC 100 0165	ROTOS F21 1380/4	1000	120	14	C. Steel	C.Steel	14"	420	1450	3800	NEW/ Without el. motor	C5
PPC 100 0166	ROTOS F21 1380/4	1000	120	14	C.Steel	C.Steel	14"	420	1450	3800	NEW/ Without el. motor	C5
PPC 100 0167	ROTOS F21 1380/4	1000	120	14	C.Steel	C.Steel	14"	420	1450	3800	NEW/ Without el. motor	C5
PPC 100 0168	ROTOS F21 1380/4	1000	120	14	C.Steel	C.Steel	14"	420	1450	3800	NEW/ Without el. motor	C5
PPC 500 0169	TERMOMECC 58 C1 PP	5000	45	14	C.Steel	C.Steel	18"	850	740	3350	NEW/ Without el. motor	C5
PPC 500 0170	TERMOMECC 58 C1 PP	5000	45	14	C.Steel	C.Steel	18"	850	740	3350	NEW/ Without el. motor	C5
PPC 500 0171	TERMOMECC 58 C1 PP	5000	45	14	C.Steel	C.Steel	18"	850	740	3350	NEW/ Without el. motor	C1
PPC 004 0332	GABBIONETA, VI 200/40	4	40	15	AISI 316	AISI 316	2"	5,5	2950		NEW	B6
PPC 004 0333	GABBIONETA, VI 200/40	4	40	15	AISI 316	AISI 316	2"	5,5	2950		NEW	B6
PCV 004 0382	GABBIONETA VI 200/40	4	40	15	AISI 316	AISI 316	2"	4,4	2950		NEW	D3
PCV 004 0383	GABBIONETA VI 200/40	4	40	15	AISI 316	AISI 316	2"	4,4	2950		NEW	D3
PCV 008 0115	BARBERA COR TAF Ø	8	20	15A	AISI 304	AISI 304	2"	2,5	1400	3100	NEW	E2
PCV 008 0116	BARBERA COR TAF Ø	8	20	15A	AISI 304	AISI 304	2"	2,5	1400	3100	NEW	D3
PCV 008 0117	BARBERA COR TAF Ø	8	20	15A	AISI 304	AISI 304	2"	2,5	1400	3100	NEW	D3
PCV 008 0118	BARBERA COR TAF Ø	8	20	15A	AISI 304	AISI 304	2"	2,5	1400	3100	NEW	D3
PCV 008 0119	BARBERA COR TAF Ø	8	20	15A	AISI 304	AISI 304	2"	2,5	1400	3100	NEW	D3



# **COPRINOX**

**Tel: +39 0377 51209**

**Fax: +39 0377 451114**

**Email: [info@coprinox.com](mailto:info@coprinox.com)**

**Address:**

**Coprinox SpA**

**Via delle Industrie 2**

**26862 Guardamiglio (LODI)**

**ITALY**